

ACTOne™ Human Melatonin Receptor 1A (MT1) Stable Cell Line

Catalog Number: CL-11-MT1

Product Type: Stable Cell Line

Cell Line Name: ACTOne™ MT1

Host Cell Line: HEK-293 CNG

Target Receptor: Human Melatonin Receptor 1A (MT1)


GenBank Accession Number: NM_005958

Other Names: MTNR1A; Melatonin Receptor 1A; Mel1a Receptor; MT1 Receptor

Product Description

The ACTOne™ MT1 stable cell line is a HEK-293 CNG derivative engineered to express recombinant human melatonin receptor 1A (MT1/MTNR1A). MT1 is primarily coupled to Gi/o proteins; receptor activation inhibits adenylyl cyclase and reduces intracellular cAMP. In the ACTOne™ assay, changes in cAMP are detected through a modified cyclic nucleotide-gated (CNG) channel using fluorescent membrane potential dye (Cat# CA-M165) or calcium-responsive dye (Cat# CA-C155).

For Gi/o-coupled receptor assays, intracellular cAMP is first elevated using isoproterenol, and melatonin-dependent inhibition is measured in the presence of a phosphodiesterase inhibitor. The assay supports both endpoint and kinetic measurements and is compatible with FLIPR, FlexStation, FDSS, and fluorescence microplate readers.



Applications

- Functional cAMP assays for Gi/o-coupled MT1 signaling
- High-throughput screening of MT1 agonists and antagonists
- Melatonin receptor pharmacology, circadian signaling, sleep, and metabolic research

Functional Validation

- MT1-specific response: Confirmed
- **Post-thaw viability:** >2.5 million cells/vial on Day 2
- Reference agonist response: Melatonin EC₅₀ = 0.23 nM under the stated assay conditions
- **Mycoplasma status:** Negative (tested lot-specific)

Product Format

- **Volume:** 1 mL
- **Cell Density:** 2.5×10^6 cells/mL
- **Cryopreservation Medium:** 90% FBS, 10% DMSO

Growth Characteristics

- **Culture Type:** Adherent
- **Growth Medium:** DMEM + 10% FBS, supplemented with 250 µg/mL G418 and 1 µg/mL Puromycin
- **Freezing Medium:** 90% FBS, 10% DMSO

Subculturing Protocol

1. Thaw Cryovial in 37 °C water bath (1-2 min).
2. Decontaminate vial with 70% ethanol.
3. Transfer contents to a T25 flask or 10 cm culture dish containing 9 mL of pre-warmed complete growth medium.
4. Replace the medium approximately 4 hours after plating to remove residual DMSO.
5. Allow cells to recover for 1-3 days and expand when they reach 80-90% confluence.
6. Monitor daily; do not allow cells to exceed 90% confluence. For routine passage, split at a ratio of 1:4 to 1:10.
7. Wash once with calcium- and magnesium-free DPBS and detach with 1X trypsin-EDTA for approximately 5 minutes at room temperature.
8. Centrifuge at approximately 200 x g for 5 minutes.
9. Resuspend in complete growth medium and seed at a density appropriate for the selected culture vessel.
10. Incubate at 37°C, 5% CO₂.

Freezing & Storage Instructions

1. Trypsinize cells and resuspend in freezing medium at 2.5×10^6 cells/mL.
2. Aliquot 1 mL per cryovial.
3. Freeze overnight at -80°C in a controlled-rate cryo container.
4. Transfer to vapor-phase liquid nitrogen ($\leq -130^\circ\text{C}$) for long-term storage.



Data Summary




Figure 1. Response of ACTOne™ MT1 cell line & parental cell line to melatonin.

ACTOne™ MT1 cells and parental HEK-293 CNG cells were plated overnight in 20 μ l culture medium on a 384 well Biocoat plate. The next day, cells were dye-loaded with 20 μ l/well of 1x Dye-loading solution (membrane potential dye kit, Cat# CA-M165). After 2 hours of incubation at room temperature, two readings were obtained prior to and 10 min after the addition of melatonin. Ratios of the two readings (F/F0) are plotted in the figure.

- A. Dose response curve of melatonin in ACTOne™ MT1 cell line. EC50 = 0.23 nM in the presence 25 μ M of PDE inhibitor Ro 20-1724 and 300 nM of β -adrenoceptor agonist isoproterenol.**
- B. Parental HEK-293 CNG cells do not respond to melatonin.**

Notice to Purchaser

This product is for research use only. It may not be resold, transferred, or used for commercial manufacturing or service provision without written consent from eEnzyme LLC.



Please consider the environment before printing