

## Anti-Spike (SARS-CoV-2) Rabbit Polyclonal Antibody

## CATALOG NUMBER: SCV2-SA-200, 100 µg, 1 mg

Introduction Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is the virus that causes COVID-19 (coronavirus disease 2019), the respiratory illness responsible for the COVID-19 pandemic. Many SARS-CoV-2 variants have been identified throughout the world since it's outbreak in late 2019; some are believed or have been believed to be of particular importance due to their potential for increased transmissibility, increased virulence, and reduced effectiveness of vaccines against them.

The genome of SARS-CoV-2 has 89% nucleotide identity with bat SARS-like-CoVZXC21 and 82% with that of human SARS-CoV. The phylogenetic trees of their orf1a/b, Spike, Envelope, Membrane and Nucleoprotein also clustered closely with those of the bat, civet and human SARS coronaviruses. However, the external subdomain of Spike's receptor binding domain (RBD) of SARS-CoV-2 shares only 40% amino acid identity with other SARS-related coronaviruses.

- Applications Western blot (1:500-1:2000), ELISA (1:40,000), Neutralization Assay, and other applications
- Description Rabbit polyclonal anti-spike (SARS-CoV-2) antibody
- Immunogen Full length spike protein of SARS-CoV-2 South Africa variant (GISAID No. EPI\_ISL\_736980)
- **Specificity** Reacts with spike protein of all SARS-CoV-2 variants tested. Cross-reaction to spike proteins from other coronavirus not tested.
- Purification Protein G immunoaffinity chromatography
- Isotype Rabbit IgG
- **Storage** Store at -20 °C; Stable for 6-months from the date of shipment when kept at 4 °C. Non-hazardous.
- **Concentration** 2 µg/µl in PBS





ACE2 cells infected with SARS-CoV-2 pseudoviral particles unde various amounts of antibodies, with IC50 of 0.64 µg/ml (<u>SCV2-PsV-614G</u>) and 1.17 µg/ml (<u>SCV2-PsV-SA</u>)

Please consider the environment before printing.