

## Spike RBD Protein of SARS-CoV-2 (Delta Plus Variant)

CATALOG NUMBER: SCV2-RBD-Delta2P

### Introduction

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is the virus that causes COVID-19 (coronavirus disease 2019), the respiratory illness responsible for the COVID-19 pandemic. Many SARS-CoV-2 variants have been identified throughout the world since its outbreak in late 2019; some are believed or have been believed to be of particular importance due to their potential for increased transmissibility, increased virulence, and reduced effectiveness of vaccines against them.

The genome of SARS-CoV-2 has 89% nucleotide identity with bat SARS-like-CoVZXC21 and 82% with that of human SARS-CoV. The phylogenetic trees of their orf1a/b, Spike, Envelope, Membrane and Nucleoprotein also clustered closely with those of the bat, civet and human SARS coronaviruses. However, the external subdomain of Spike's receptor binding domain (RBD) of SARS-CoV-2 shares only 40% amino acid identity with other SARS-related coronaviruses.

### Description

Recombinant spike RBD (K417N, L452R, T478K) protein of human SARS-CoV-2 Delta plus variant expressed and purified from HEK293 cells. There is a C-terminal His-tag.

### Applications

Western blot standard, antibody ELISA, antigen, *etc.*

### Storage

Store at -20 °C; Stable for 3 months from the date of shipment when kept at 4 °C.

### Size


50 µg in PBS

### Endotoxin Level

<0.01 EU per 1 µg of the protein by LAL test

### Purity

≥ 95% (by SDS PAGE)



**SDS-PAGE:** purified recombinant spike RBD (K417N, L452R, T478K) protein of SARS-CoV-2 Delta plus variant

### Spike RBD (K417N, L452R, T478K) Protein (SARS-CoV-2 Delta Plus Variant) SEQ:

RVQPTESIVRFPNITNLCPFGEVFNATRFASVYAWNKRKRSNCVADYSVLVNSASFSTFKCYGVSPTKLNDLCFTNVYADSFVIRGDEV  
RQIAPGQTGNIADYNYKLPDDFTGCVIAWNSNNLDSKVGGNYNRYRFLFRKSNLKPFFERDISTEIIYQAGSKPCNGVEGFNCYFPLQSYG  
FQPTNGVGYQPYRVVLSFELLHAPATVCGPKKSTNLVKNKCVNFHHHHHHHH